

Übersicht der werkseitigen Räder-/Reifenfreigaben			
Modellreihe 3 (E36)		Limousine	
Reifen (schlauchlos)	Stahlrad Einpresstiefe	LM-Rad Einpresstiefe	Auflagen
318is Limousine, 320i Limousine, 323i Limousine, 325tds Limousine			
205/60 R 15 91 V	6½ J x 15 H2	47 mm	7 J x 15 H2
225/55 R 15 92 V	6½ J x 15 H2	47 mm	7 J x 15 H2
205/55 R 16 91 V	7 J x 16 H2	47 mm	7 J x 16 H2
225/50 ZR 16	7 J x 16 H2	47 mm	7 J x 16 H2
225/45 R 17 91 W	7 J x 16 H2	47 mm	7 J x 16 H2
225/45 ZR 17	7 J x 16 H2	47 mm	7 J x 16 H2
225/45 R 17 91 W	8 J x 17 H2	47 mm	8 J x 17 H2
235/40 ZR 17	8 J x 17 H2	47 mm	8 J x 17 H2
235/40 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
235/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2
185/65 R 15 87 Q/T/H M+S	6 J x 15 H2	42 mm	6 J x 15 H2
325i Limousine bis 892			
205/60 ZR 15	6½ J x 15 H2	47 mm	7 J x 15 H2
225/55 ZR 15	6½ J x 15 H2	47 mm	7 J x 15 H2
225/50 ZR 16	7 J x 16 H2	47 mm	7 J x 16 H2
225/45 R 17 91 W	7 J x 16 H2	47 mm	7 J x 16 H2
225/45 ZR 17	7 J x 16 H2	47 mm	7 J x 16 H2
235/40 ZR 17	8 J x 17 H2	47 mm	8 J x 17 H2
235/40 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
225/45 ZR 17 (Mischber. 17")	8 J x 17 H2	47 mm	8 J x 17 H2
225/45 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2
185/65 R 15 87 Q/T/H M+S	6 J x 15 H2	42 mm	6 J x 15 H2
205/60 R 15 91 V	6½ J x 15 H2	47 mm	7 J x 15 H2
225/55 R 16 91 V	7 J x 16 H2	47 mm	7 J x 16 H2
225/50 ZR 16	7 J x 16 H2	47 mm	7 J x 16 H2
225/45 R 17 91 W	7 J x 16 H2	47 mm	7 J x 16 H2
225/45 ZR 17	7 J x 16 H2	47 mm	7 J x 16 H2
235/40 ZR 17	8 J x 17 H2	47 mm	8 J x 17 H2
235/40 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
235/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2
185/65 R 15 87 Q/T/H M+S	6 J x 15 H2	42 mm	6 J x 15 H2
205/60 R 15 91 Q/T/H M+S	6½ J x 15 H2	47 mm	7 J x 15 H2
225/55 R 15 92 Q/T/H M+S	6½ J x 15 H2	47 mm	7 J x 15 H2
325i Limousine ab 992			
205/60 R 15 91 V	7 J x 15 H2	47 mm	7 J x 15 H2
225/55 R 15 92 V	7 J x 15 H2	47 mm	7 J x 15 H2
205/55 R 16 91 V	7 J x 16 H2	47 mm	7 J x 16 H2
225/50 ZR 16	7 J x 16 H2	47 mm	7 J x 16 H2
225/45 R 17 91 W	7 J x 16 H2	47 mm	7 J x 16 H2
225/45 ZR 17	7 J x 16 H2	47 mm	7 J x 16 H2
235/40 ZR 17	8 J x 17 H2	47 mm	8 J x 17 H2
235/40 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
235/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2
185/65 R 15 87 Q/T/H M+S	6 J x 15 H2	42 mm	6 J x 15 H2
205/60 R 15 91 Q/T/H M+S	6½ J x 15 H2	47 mm	7 J x 15 H2
225/55 R 15 92 Q/T/H M+S	6½ J x 15 H2	47 mm	7 J x 15 H2

Übersicht der werkseitigen Räder-/Reifenfreigaben			
Modellreihe 3 (E36)		Limousine	
Reifen (schlauchlos)	Stahlrad Einpresstiefe	LM-Rad Einpresstiefe	Auflagen
318tds Limousine			
185/65 R 15 88 T	6 J x 15 H2	42 mm	6 J x 15 H2
205/60 R 15 91 T	6½ J x 15 H2	47 mm	7 J x 15 H2
225/55 R 15 92 T	6½ J x 15 H2	47 mm	7 J x 15 H2
205/55 R 16 91 T	7 J x 16 H2	47 mm	7 J x 16 H2
225/50 ZR 16	7 J x 16 H2	47 mm	7 J x 16 H2
225/45 ZR 17	7 J x 16 H2	47 mm	7 J x 16 H2
225/45 R 17 91 W	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
225/45 ZR 17	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
225/45 R 17 91 W	8 J x 17 H2	47 mm	8 J x 17 H2
235/40 ZR 17	8 J x 17 H2	47 mm	8 J x 17 H2
235/40 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
235/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2
185/65 R 15 87 Q/T/H M+S	6 J x 15 H2	42 mm	6 J x 15 H2
318i Limousine, 318i Limousine			
185/65 R 15 87 H	6 J x 15 H2	42 mm	6 J x 15 H2
205/60 R 15 91 H	6½ J x 15 H2	47 mm	7 J x 15 H2
225/55 R 15 92 H	6½ J x 15 H2	47 mm	7 J x 15 H2
205/55 R 16 91 H	7 J x 16 H2	47 mm	7 J x 16 H2
225/50 ZR 16	7 J x 16 H2	47 mm	7 J x 16 H2
215/45 ZR 17	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
225/45 ZR 17	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
225/45 R 17 91 W	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
225/45 ZR 17	8 J x 17 H2	47 mm	8 J x 17 H2
225/45 R 17 91 W	8 J x 17 H2	47 mm	8 J x 17 H2
235/40 ZR 17	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
215/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
235/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2
235/40 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
235/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2
325td Limousine			
185/65 R 15 87 H	6 J x 15 H2	42 mm	6 J x 15 H2
205/60 R 15 91 H	6½ J x 15 H2	47 mm	7 J x 15 H2
225/55 R 15 92 H	6½ J x 15 H2	47 mm	7 J x 15 H2
205/55 R 16 91 H	7 J x 16 H2	47 mm	7 J x 16 H2
225/50 ZR 16	7 J x 16 H2	47 mm	7 J x 16 H2
215/45 ZR 17	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
225/45 ZR 17	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
225/45 R 17 91 W	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
225/45 ZR 17	8 J x 17 H2	47 mm	8 J x 17 H2
235/40 ZR 17	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
215/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
235/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2
235/40 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
235/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2

Übersicht der werkseitigen Räder-/Reifenfreigaben

Modellreihe 3 (E36)		Coupé	
Reifen (schlauchlos)	Stahlrad Einpresstiefe	LM-Rad Einpresstiefe	Auflagen
316i Coupé			
185/65 R 15 87 H	6 J x 15 H2 42 mm	6 J x 15 H2 42 mm	
205/60 R 15 91 H	6½ J x 15 H2 47 mm	7 J x 15 H2 47 mm	
225/55 R 15 92 H	6½ J x 15 H2 47 mm	7 J x 15 H2 47 mm	1)2)
205/55 R 16 91 H	7 J x 16 H2 47 mm	7 J x 16 H2 45-47 mm	1)2)
225/50 ZR 16	7 J x 16 H2 47 mm	7 J x 16 H2 45-47 mm	1)2)
215/45 ZR 17	7 J x 16 H2 47 mm	7½ J x 17 AH2 41 mm	1)2)
225/45 ZR 17	7½ J x 17 AH2 41 mm	7½ J x 17 AH2 41 mm	1)2)
225/45 ZR 17	225/45 R 17 91 W	7½ J x 17 AH2 41 mm	1)2)
225/45 ZR 17	225/45 R 17 91 W	8 J x 17 H2 47 mm	1)2)
225/45 ZR 17	225/45 R 17 91 W	8 J x 17 H2 47 mm	1)2)
235/40 ZR 17	7½ J x 17 AH2 41 mm	7½ J x 17 AH2 41 mm	1)2)
215/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2 41 mm	7½ J x 17 AH2 41 mm	1)2)
235/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2 41 mm	8½ J x 17 AH2 41 mm	1)2)4)
235/40 ZR 17 (Mischber. 17")	7½ J x 17 AH2 41 mm	7½ J x 17 AH2 41 mm	1)2)
235/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2 41 mm	8½ J x 17 AH2 41 mm	1)2)4)
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2 41 mm	7½ J x 17 AH2 41 mm	1)2)
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2 41 mm	8½ J x 17 AH2 41 mm	1)4)
318is Coupé, 320i Coupé, 323i Coupé			
205/60 R 15 91 V	6½ J x 15 H2 47 mm	7 J x 15 H2 47 mm	
225/55 R 15 92 V	6½ J x 15 H2 47 mm	7 J x 15 H2 47 mm	1)2)3)
205/55 R 16 91 V	7 J x 16 H2 47 mm	7 J x 16 H2 45-47 mm	1)2)3)
225/50 ZR 16	7 J x 16 H2 47 mm	7 J x 16 H2 45-47 mm	1)2)3)
225/45 R 17 91 W	7½ J x 17 AH2 41 mm	7½ J x 17 AH2 41 mm	1)2)
225/45 ZR 17	8 J x 17 H2 47 mm	8 J x 17 H2 47 mm	1)2)
225/45 R 17 91 W	8 J x 17 H2 47 mm	8 J x 17 H2 47 mm	1)2)3)
235/40 ZR 17	7½ J x 17 AH2 41 mm	7½ J x 17 AH2 41 mm	1)2)3)
235/40 ZR 17 (Mischber. 17")	7½ J x 17 AH2 41 mm	7½ J x 17 AH2 41 mm	1)2)3)
235/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2 41 mm	8½ J x 17 AH2 41 mm	1)2)3)4)
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2 41 mm	7½ J x 17 AH2 41 mm	1)2)3)
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2 41 mm	8½ J x 17 AH2 41 mm	1)3)4)
185/65 R 15 87 Q/TT/H M+S	6 J x 15 H2 42 mm	6 J x 15 H2 42 mm	
325i Coupé bis 8/92			
205/60 ZR 15	6½ J x 15 H2 47 mm	7 J x 15 H2 47 mm	
225/55 ZR 15	6½ J x 15 H2 47 mm	7 J x 15 H2 47 mm	1)2)
225/50 ZR 16	7 J x 16 H2 47 mm	7 J x 16 H2 45-47 mm	1)2)3)
225/45 R 17 91 W	7 J x 16 H2 47 mm	7½ J x 17 AH2 41 mm	1)2)
225/45 ZR 17	8 J x 17 H2 47 mm	8 J x 17 H2 47 mm	1)2)3)
225/45 R 17 91 W	8 J x 17 H2 47 mm	8 J x 17 H2 47 mm	1)2)3)
235/40 ZR 17	7½ J x 17 AH2 41 mm	7½ J x 17 AH2 41 mm	1)2)3)
235/40 ZR 17 (Mischber. 17")	7½ J x 17 AH2 41 mm	7½ J x 17 AH2 41 mm	1)2)3)
235/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2 41 mm	8½ J x 17 AH2 41 mm	1)2)3)4)
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2 41 mm	8½ J x 17 AH2 41 mm	1)2)3)
185/65 R 15 87 Q/TT/H M+S	6 J x 15 H2 42 mm	6 J x 15 H2 42 mm	
205/60 R 15 91 Q/TT/H M+S	6½ J x 15 H2 47 mm	7 J x 15 H2 47 mm	
225/55 R 15 92 Q/TT/H M+S	6½ J x 15 H2 47 mm	7 J x 15 H2 47 mm	1)2)3)

Übersicht der werkseitigen Räder-/Reifenfreigaben

Modellreihe 3 (E36)		Limousine	
Reifen (schlauchlos)	Stahlrad Einpresstiefe	LM-Rad Einpresstiefe	Auflagen
328i Limousine			
205/60 R 15 91 W	7 J x 16 H2 47 mm	7 J x 15 H2 47 mm	
205/55 R 16 91 W	7 J x 16 H2 47 mm	7 J x 16 H2 45-47 mm	1)2)
225/50 ZR 16	7 J x 16 H2 47 mm	7 J x 16 H2 45-47 mm	1)2)
225/45 R 17 91 W	7 J x 16 H2 47 mm	7½ J x 17 AH2 41 mm	1)2)
225/45 ZR 17	8 J x 17 H2 47 mm	8 J x 17 H2 47 mm	1)2)
225/45 R 17 91 W	7 J x 16 H2 47 mm	7½ J x 17 AH2 41 mm	1)2)
235/40 ZR 17	7½ J x 17 AH2 41 mm	7½ J x 17 AH2 41 mm	1)2)
235/40 ZR 17 (Mischber. 17")	7½ J x 17 AH2 41 mm	7½ J x 17 AH2 41 mm	1)2)
235/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2 41 mm	8½ J x 17 AH2 41 mm	1)2)4)
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2 41 mm	7½ J x 17 AH2 41 mm	1)2)
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2 41 mm	8½ J x 17 AH2 41 mm	1)3)4)
205/60 R 15 91 Q/TT/H M+S	6½ J x 15 H2 47 mm	7 J x 15 H2 47 mm	
M3 bis 10/95			
235/40 ZR 17	7½ J x 17 AH2 41 mm	7½ J x 17 AH2 41 mm	1)
235/40 ZR 17 (Mischber. 17")	7½ J x 17 AH2 41 mm	7½ J x 17 AH2 41 mm	1)
235/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2 41 mm	8½ J x 17 AH2 41 mm	1)4)
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2 41 mm	7½ J x 17 AH2 41 mm	1)
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2 41 mm	8½ J x 17 AH2 41 mm	1)4)
215/45 R 17 90 H MHS	7 J x 17 AH2 41 mm	7 J x 17 AH2 41 mm	
M3 ab 11/95			
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2 41 mm	7½ J x 17 AH2 41 mm	1)
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2 41 mm	8½ J x 17 AH2 41 mm	1)3)
225/45 R 17 90 H M+S	7 J x 17 AH2 41 mm	7 J x 17 AH2 41 mm	
225/45 R 17 90 H M+S	7½ J x 17 AH2 41 mm	7½ J x 17 AH2 41 mm	

Übersicht der werkseitigen Räder-/Reifenfreigaben				
Modellreihe 3 (E36)		Cabrio		
Reifen (schlauchlos)	Stahlrad Einpresstiefe	LM-Rad Einpresstiefe	LM-Rad Einpresstiefe	Auflagen
318i Cabrio				
205/60 R 15 91 H	6½ J x 15 H2	47 mm	7 J x 15 H2	47 mm
225/55 R 15 92 H	6½ J x 15 H2	47 mm	7 J x 15 H2	47 mm
205/55 R 16 91 H	7 J x 16 H2	47 mm	7 J x 16 H2	45-47 mm
225/50 ZR 16	7 J x 16 H2	47 mm	7 J x 16 H2	45-47 mm
225/45 ZR 17	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
225/45 R 17 91 W	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
225/45 ZR 17	8 J x 17 H2	47 mm	8 J x 17 H2	47 mm
225/45 R 17 91 W	8 J x 17 H2	47 mm	8 J x 17 H2	47 mm
235/40 ZR 17	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
235/40 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
225/45 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2	41 mm
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2	41 mm
185/65 R 15 87 Q/J/H M+S	6 J x 15 H2	42 mm	6 J x 15 H2	42 mm
320i Cabrio, 323i Cabrio				
205/60 R 15 91 V	6½ J x 15 H2	47 mm	7 J x 15 H2	47 mm
225/55 R 15 92 V	6½ J x 15 H2	47 mm	7 J x 15 H2	47 mm
205/55 R 16 91 V	7 J x 16 H2	47 mm	7 J x 16 H2	45-47 mm
225/50 ZR 16	7 J x 16 H2	47 mm	7 J x 16 H2	45-47 mm
225/45 R 17 91 W	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
225/45 ZR 17	8 J x 17 H2	47 mm	8 J x 17 H2	47 mm
225/45 R 17 91 W	8 J x 17 H2	47 mm	8 J x 17 H2	47 mm
235/40 ZR 17	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
235/40 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
225/45 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2	41 mm
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2	41 mm
185/65 R 15 87 Q/J/H M+S	6 J x 15 H2	42 mm	6 J x 15 H2	42 mm
325i Cabrio				
205/60 R 15 91 V	6½ J x 15 H2	47 mm	7 J x 15 H2	47 mm
225/55 R 15 92 V	6½ J x 15 H2	47 mm	7 J x 15 H2	47 mm
205/55 R 16 91 V	7 J x 16 H2	47 mm	7 J x 16 H2	45-47 mm
225/50 ZR 16	7 J x 16 H2	47 mm	7 J x 16 H2	45-47 mm
225/45 R 17 91 W	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
225/45 ZR 17	8 J x 17 H2	47 mm	8 J x 17 H2	47 mm
225/45 R 17 91 W	8 J x 17 H2	47 mm	8 J x 17 H2	47 mm
235/40 ZR 17	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
235/40 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
225/45 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2	41 mm
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2	41 mm
185/65 R 15 87 Q/J/H M+S	6 J x 15 H2	42 mm	6 J x 15 H2	42 mm

Übersicht der werkseitigen Räder-/Reifenfreigaben				
Modellreihe 3 (E36)		Coupé		
Reifen (schlauchlos)	Stahlrad Einpresstiefe	LM-Rad Einpresstiefe	LM-Rad Einpresstiefe	Auflagen
325i Coupé ab 9/92				
205/60 R 15 91 V	7 J x 15 H2	47 mm	7 J x 15 H2	47 mm
225/55 R 15 92 V	7 J x 15 H2	47 mm	7 J x 15 H2	47 mm
205/55 R 16 91 V	7 J x 16 H2	47 mm	7 J x 16 H2	45-47 mm
225/50 ZR 16	7 J x 16 H2	47 mm	7 J x 16 H2	45-47 mm
225/45 R 17 91 W	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
225/45 ZR 17	8 J x 17 H2	47 mm	8 J x 17 H2	47 mm
225/45 R 17 91 W	8 J x 17 H2	47 mm	8 J x 17 H2	47 mm
235/40 ZR 17	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
235/40 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
225/45 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2	41 mm
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2	41 mm
185/65 R 15 87 Q/J/H M+S	6 J x 15 H2	42 mm	6 J x 15 H2	42 mm
205/60 R 15 91 Q/J/H M+S	6½ J x 15 H2	47 mm	7 J x 15 H2	47 mm
225/55 R 15 92 Q/J/H M+S	6½ J x 15 H2	47 mm	7 J x 15 H2	47 mm
328i Coupé				
205/60 R 15 91 W	7 J x 15 H2	47 mm	7 J x 15 H2	47 mm
205/55 R 16 91 W	7 J x 16 H2	47 mm	7 J x 16 H2	45-47 mm
225/50 ZR 16	7 J x 16 H2	47 mm	7 J x 16 H2	45-47 mm
225/45 R 17 91 W	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
225/45 ZR 17	8 J x 17 H2	47 mm	8 J x 17 H2	47 mm
225/45 R 17 91 W	8 J x 17 H2	47 mm	8 J x 17 H2	47 mm
235/40 ZR 17	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
235/40 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
225/45 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2	41 mm
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2	41 mm
205/60 R 15 91 Q/J/H M+S	6½ J x 15 H2	47 mm	7 J x 15 H2	47 mm
M3 Coupé bis 10/95				
235/40 ZR 17	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
235/40 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
225/45 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2	41 mm
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2	41 mm
215/45 R 17 90 H M+S	7 J x 17 AH2	41 mm	7 J x 17 AH2	41 mm
M3 Coupé ab 11/95				
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2	41 mm
225/45 R 17 90 H M+S	7 J x 17 AH2	41 mm	7 J x 17 AH2	41 mm
225/45 R 17 M+S	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm

Übersicht der werkseitigen Räder-/Reifenfreigaben

Modellreihe 3 (E36)		Touring		
Reifen (schlauchlos)	Stahlrad Einpresstiefe	LM-Rad Einpresstiefe	LM-Rad Einpresstiefe	Auflagen
318tds Touring				
185/65 R 15 88 T	6 J x 15 H2	42 mm	6 J x 15 H2	42 mm
205/60 R 15 91 T	6½ J x 15 H2	47 mm	7 J x 15 H2	47 mm
225/55 R 15 92 T	6½ J x 15 H2	47 mm	7 J x 15 H2	47 mm
205/55 R 16 91 T	7 J x 16 H2	47 mm	7 J x 16 H2	45-47 mm
225/50 ZR 16	7 J x 16 H2	47 mm	7 J x 16 H2	45-47 mm
225/45 ZR 17	7 J x 16 H2	47 mm	7 J x 16 H2	45-47 mm
225/45 R 17 91 W	7½ J x 17 AH2	41 mm	8 J x 17 H2	41 mm
225/45 ZR 17	8 J x 17 H2	47 mm	8 J x 17 H2	47 mm
225/45 R 17 91 W	8 J x 17 H2	47 mm	8 J x 17 H2	47 mm
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2	41 mm
185/65 R 15 87 Q/7H M+S	6 J x 15 H2	42 mm	6 J x 15 H2	42 mm
316i Touring, 318i Touring				
185/65 R 15 87 H	6 J x 15 H2	42 mm	6 J x 15 H2	42 mm
205/60 R 15 91 H	6½ J x 15 H2	47 mm	7 J x 15 H2	47 mm
225/55 R 15 92 H	6½ J x 15 H2	47 mm	7 J x 15 H2	47 mm
205/55 R 16 91 H	7 J x 16 H2	47 mm	7 J x 16 H2	45-47 mm
225/50 ZR 16	7 J x 16 H2	47 mm	7 J x 16 H2	45-47 mm
225/45 ZR 17	7 J x 16 H2	47 mm	7 J x 16 H2	45-47 mm
225/45 R 17 91 W	7½ J x 17 AH2	41 mm	8 J x 17 H2	41 mm
225/45 ZR 17	8 J x 17 H2	47 mm	8 J x 17 H2	47 mm
225/45 R 17 91 W	8 J x 17 H2	47 mm	8 J x 17 H2	47 mm
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2	41 mm
320i Touring, 323i Touring, 325tds Touring				
205/60 R 15 91 V	6½ J x 15 H2	47 mm	7 J x 15 H2	47 mm
225/55 R 15 92 V	7 J x 15 H2	47 mm	7 J x 15 H2	47 mm
205/55 R 16 91 V	7 J x 16 H2	47 mm	7 J x 16 H2	45-47 mm
225/50 ZR 16	7 J x 16 H2	47 mm	7 J x 16 H2	45-47 mm
225/45 R 17 91 W	7½ J x 17 AH2	41 mm	8 J x 17 H2	41 mm
225/45 ZR 17	8 J x 17 H2	47 mm	8 J x 17 H2	47 mm
225/45 R 17 91 W	8 J x 17 H2	47 mm	8 J x 17 H2	47 mm
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2	41 mm
328i Touring				
205/60 R 15 91 W	6½ J x 15 H2	47 mm	7 J x 15 H2	47 mm
205/55 R 16 91 W	7 J x 16 H2	47 mm	7 J x 16 H2	45-47 mm
225/50 ZR 16	7 J x 16 H2	47 mm	7 J x 16 H2	45-47 mm
225/45 R 17 91 W	7½ J x 17 AH2	41 mm	8 J x 17 H2	41 mm
225/45 ZR 17	8 J x 17 H2	47 mm	8 J x 17 H2	47 mm
225/45 R 17 91 W	8 J x 17 H2	47 mm	8 J x 17 H2	47 mm
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2	41 mm

Übersicht der werkseitigen Räder-/Reifenfreigaben

Modellreihe 3 (E36)		Cabrio		
Reifen (schlauchlos)	Stahlrad Einpresstiefe	LM-Rad Einpresstiefe	LM-Rad Einpresstiefe	Auflagen
328i Cabrio				
205/60 R 15 91 W	6½ J x 15 H2	47 mm	7 J x 15 H2	47 mm
205/55 R 16 91 W	7 J x 16 H2	47 mm	7 J x 16 H2	45-47 mm
225/50 ZR 16	7 J x 16 H2	47 mm	7 J x 16 H2	45-47 mm
225/45 R 17 91 W	7½ J x 17 AH2	41 mm	8 J x 17 H2	41 mm
225/45 ZR 17	8 J x 17 H2	47 mm	8 J x 17 H2	47 mm
225/45 R 17 91 W	8 J x 17 H2	47 mm	8 J x 17 H2	47 mm
235/40 ZR 17	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
235/40 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
225/45 R 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2	41 mm
M3 Cabrio bis 02/96				
235/40 ZR 17	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
235/40 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
235/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2	41 mm
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2	41 mm
215/45 R 17 90 H M+S	7 J x 17 AH2	41 mm	7 J x 17 AH2	41 mm
M3 Cabrio ab 03/96				
225/45 ZR 17 (Mischber. 17")	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm
245/40 ZR 17 (Mischber. 17")	8½ J x 17 AH2	41 mm	8½ J x 17 AH2	41 mm
225/45 R 17 90 H M+S	7 J x 17 AH2	41 mm	7 J x 17 AH2	41 mm
225/45 R 17 90 H M+S	7½ J x 17 AH2	41 mm	7½ J x 17 AH2	41 mm

Übersicht der werkseitigen Räder-/Reifenfreigaben			
Modellreihe 3 (E36)		Z3 Roadster und Z3 Coupé	
Reifen (schlauchlos)	Stahlrad Einpresstiefe	LM-Rad Einpresstiefe	Auflagen
Z3 1.8i Roadster bis 03/99			
205/60 R 15 91 H	6½ J x 15 H2	47 mm	7 J x 15 H2 47 mm
205/55 R 15 92 H	6½ J x 15 H2	47 mm	7 J x 15 H2 47 mm
205/55 R 16 91 H	7 J x 16 H2	45-47 mm	7 J x 16 H2 45-47 mm 1)
225/50 R 16 92 V	7 J x 16 H2	47 mm	7 J x 16 H2 45-47 mm 1)2)
225/45 ZR 17	7½ J x 17 H2	41 mm	7½ J x 17 H2 41 mm 1)2)
225/45 R 17 91 W	7½ J x 17 H2	41 mm	7½ J x 17 H2 41 mm 1)2)
225/45 R 17 91 W	8 J x 17 H2	47 mm	8 J x 17 H2 47 mm 1)2)
185/65 R 15 88 Q/T/H M+S	6 J x 15 H2	42 mm	6 J x 15 H2 42 mm
Z3 1.9i (M44) Roadster bis 03/99			
205/60 R 15 91 V	6½ J x 15 H2	47 mm	7 J x 15 H2 47 mm
225/55 R 15 92 V	6½ J x 15 H2	47 mm	7 J x 15 H2 47 mm 1)2)
205/55 R 16 91 V	7 J x 16 H2	47 mm	7 J x 16 H2 45-47 mm 1)
225/50 R 16 92 V	7 J x 16 H2	47 mm	7 J x 16 H2 45-47 mm 1)2)
225/45 ZR 17	7½ J x 17 H2	41 mm	7½ J x 17 H2 41 mm 1)2)
225/45 R 17 91 W	7½ J x 17 H2	41 mm	7½ J x 17 H2 41 mm 1)2)
225/45 R 17 91 W	8 J x 17 H2	47 mm	8 J x 17 H2 47 mm 1)2)
185/65 R 15 88 Q/T/H M+S	6 J x 15 H2	42 mm	6 J x 15 H2 42 mm
Z3 1.8i Roadster ab 04/99, Z3 1.9i Roadster ab 04/99			
205/60 R 15 91 H	6½ J x 15 H2	47 mm	7 J x 15 H2 47 mm
225/55 R 15 92 H	6½ J x 15 H2	47 mm	7 J x 15 H2 47 mm
205/55 R 16 91 H	7 J x 16 H2	47 mm	7 J x 16 H2 45-47 mm
225/50 R 16 92 V	7 J x 16 H2	47 mm	7 J x 16 H2 45-47 mm
225/45 ZR 17	7½ J x 17 H2	41 mm	7½ J x 17 H2 41 mm
225/45 R 17 91 W	7½ J x 17 H2	41 mm	7½ J x 17 H2 41 mm
225/45 R 17 91 W	8 J x 17 H2	47 mm	8 J x 17 H2 47 mm
225/45 ZR 17 (Mischber. 17")	7½ J x 17 H2	41 mm	7½ J x 17 H2 41 mm
245/40 ZR 17 (Mischber. 17")	8½ J x 17 H2	41 mm	8½ J x 17 H2 41 mm 1)4)
Z3 2.0i Roadster, Z3 2.2i Roadster			
205/60 R 15 91 V	6½ J x 15 H2	47 mm	7 J x 15 H2 47 mm
225/55 R 15 92 V	6½ J x 15 H2	47 mm	7 J x 15 H2 47 mm
205/55 R 16 91 V	7 J x 16 H2	47 mm	7 J x 16 H2 45-47 mm
225/50 R 16 92 V	7 J x 16 H2	47 mm	7 J x 16 H2 45-47 mm
225/45 ZR 17 (Mischber. 17")	7½ J x 17 H2	41 mm	7½ J x 17 H2 41 mm
245/40 ZR 17 (Mischber. 17")	8½ J x 17 H2	41 mm	8½ J x 17 H2 41 mm 1)4)
225/45 R 17 91 Q/T/H M+S	7½ J x 17 H2	41 mm	7½ J x 17 H2 41 mm
225/45 R 17 91 Q/T/H M+S	8 J x 17 H2	47 mm	8 J x 17 H2 47 mm
Z3 2.8i Roadster, Z3 2.8i Coupé			
225/50 ZR 16	7 J x 16 H2	45-47 mm	7 J x 16 H2 45-47 mm
225/50 R 16 92 W	7 J x 16 H2	45-47 mm	7 J x 16 H2 45-47 mm
225/45 ZR 17 (Mischber. 17")	7½ J x 17 H2	41 mm	7½ J x 17 H2 41 mm
245/40 ZR 17 (Mischber. 17")	8½ J x 17 H2	41 mm	8½ J x 17 H2 41 mm 1)4)
205/60 R 15 91 Q/T/H M+S	6½ J x 15 H2	47 mm	7 J x 15 H2 47 mm
205/55 R 16 91 Q/T/H M+S	7 J x 16 H2	47 mm	7 J x 16 H2 45-47 mm
225/50 R 16 92 Q/T/H M+S	7 J x 16 H2	47 mm	7 J x 16 H2 45-47 mm
225/45 R 17 91 Q/T/H M+S	7½ J x 17 H2	41 mm	7½ J x 17 H2 41 mm
225/45 R 17 91 Q/T/H M+S	8 J x 17 H2	47 mm	8 J x 17 H2 47 mm

Übersicht der werkseitigen Räder-/Reifenfreigaben			
Modellreihe 3 (E36)		Compact	
Reifen (schlauchlos)	Stahlrad Einpresstiefe	LM-Rad Einpresstiefe	Auflagen
318tds Compact			
185/65 R 15 88T	6 J x 15 H2	42 mm	6 J x 15 H2 42 mm
205/60 R 15 91 T	6½ J x 15 H2	47 mm	7 J x 15 H2 47 mm
205/55 R 16 91 T	7 J x 16 H2	47 mm	7 J x 16 H2 45-47 mm 1)2)
225/50 ZR 16	7 J x 16 H2	47 mm	7 J x 16 H2 45-47 mm 1)2)
215/45 ZR 17	7½ J x 17 AH2	41 mm	7½ J x 17 AH2 41 mm 1)2)
225/45 ZR 17	7½ J x 17 AH2	41 mm	7½ J x 17 AH2 41 mm 1)2)
225/45 R 17 91 W	7½ J x 17 AH2	41 mm	7½ J x 17 AH2 41 mm 1)2)
225/45 R 17 91 W	8 J x 17 H2	47 mm	8 J x 17 H2 47 mm 1)2)
185/65 R 15 87 Q/T/H M+S	6 J x 15 H2	42 mm	6 J x 15 H2 42 mm
316i Compact, 316g Compact			
185/65 R 15 87H	6 J x 15 H2	42 mm	6 J x 15 H2 42 mm
205/60 R 15 91 H	6½ J x 15 H2	47 mm	7 J x 15 H2 47 mm
205/55 R 16 91 H	7 J x 16 H2	47 mm	7 J x 16 H2 45-47 mm 1)2)3)
225/50 ZR 16	7 J x 16 H2	47 mm	7 J x 16 H2 45-47 mm 1)2)3)
215/45 ZR 17	7½ J x 17 AH2	41 mm	7½ J x 17 AH2 41 mm 1)2)3)
225/45 ZR 17	7½ J x 17 AH2	41 mm	7½ J x 17 AH2 41 mm 1)2)3)
225/45 R 17 91 W	7½ J x 17 AH2	41 mm	7½ J x 17 AH2 41 mm 1)2)3)
225/45 R 17 91 W	8 J x 17 H2	47 mm	8 J x 17 H2 47 mm 1)2)3)
318fi Compact			
205/60 R 15 91 V	6½ J x 15 H2	47 mm	7 J x 15 H2 47 mm
205/55 R 16 91 V	7 J x 16 H2	47 mm	7 J x 16 H2 45-47 mm 1)2)3)
225/50 ZR 16	7 J x 16 H2	47 mm	7 J x 16 H2 45-47 mm 1)2)3)
215/45 ZR 17	7½ J x 17 AH2	41 mm	7½ J x 17 AH2 41 mm 1)2)3)
225/45 ZR 17	7½ J x 17 AH2	41 mm	7½ J x 17 AH2 41 mm 1)2)3)
225/45 R 17 91 W	7½ J x 17 AH2	41 mm	7½ J x 17 AH2 41 mm 1)2)3)
185/65 R 15 87 Q/T/H M+S	6 J x 15 H2	42 mm	6 J x 15 H2 42 mm
323fi Compact			
205/60 R 15 91 W	6½ J x 15 H2	47 mm	7 J x 15 H2 47 mm
205/55 R 16 91 W	7 J x 16 H2	47 mm	7 J x 16 H2 45-47 mm 1)
225/50 ZR 16	7 J x 16 H2	47 mm	7 J x 16 H2 45-47 mm 1)
225/45 R 17 91 W	7½ J x 17 AH2	41 mm	7½ J x 17 AH2 41 mm 1)
225/45 R 17 91 W	8 J x 17 H2	47 mm	8 J x 17 H2 47 mm 1)



Übersicht der werkseitigen Räder-/Reifenfreigaben

Modellreihe 3 (E36) Z3 Roadster und Z3 Coupé			
Reifen (schlauchlos)	Stahlrad Einpresstiefe	LM-Rad Einpresstiefe	Auflagen
Z3 3.0i Roadster, Z3 3.0i Coupé			
225/50 ZR 16		7 J x 16 H2 45-47 mm	
225/50 R 16 92 W		7 J x 16 H2 45-47 mm	
225/45 ZR 17 (Mischer. 17 ^{*)})		7½ J x 17 H2 41 mm	
245/40 ZR 17 (Mischer. 17 ^{*)})		8½ J x 17 H2 41 mm	1)4)
205/55 R 16 91 Q/J/H M+S	7 J x 16 H2 47 mm	7 J x 16 H2 45-47 mm	
225/50 R 16 92 Q/J/H M+S	7 J x 16 H2 47 mm	7 J x 16 H2 45-47 mm	
225/45 R 17 91 Q/J/H M+S		7½ J x 17 H2 41 mm	
225/45 R 17 91 Q/J/H M+S		8 J x 17 H2 47 mm	
Z3 M-Roadster, Z3 M-Coupé			
225/45 ZR 17 (Mischer. 17 ^{*)})		7½ J x 17 H2 41 mm	
245/40 ZR 17 (Mischer. 17 ^{*)})		9 J x 17 H2 8 mm	1)4)
225/45 R 17 90 H M+S		7 J x 17 AH2 41 mm	
225/45 R 17 91 H M+S (Mischer. 17 ^{*)})		7½ J x 17 H2 41 mm	
225/45 R 17 91 H M+S (Mischer. 17 ^{*)})		7½ J x 17 H2 25 mm	4)
225/45 R 17 91 H M+S (Mischer. 17 ^{*)})		7½ J x 17 H2 41 mm	nur Styl.18
225/45 R 17 91 H M+S (Mischer. 17 ^{*)})		8 J x 17 H2 20 mm	4) nur Styl.18